JOINT COMPANY/UNION SAFETY COMMITTEE CONCERN FORM

THIS FORM IS TO BE USED BY ALL EMPLOYEES ON PLANT SITE

Mail to: JCUSC, T-690G

	,	
(Please mail Blue	 Copy to JCUSC when the Concern is initiated))

EMPLOYEE NAM	1E	EN	PLOYEE NUMBER	-
DEPARTMENT -	Rod. Ope. R.P.T.	BLDG. 904 Pal	PHONE	_ SHIFT Deys
SUPERVISOR (P	Print) Jue Chinas;		SUPV. EXT. 306	· · · · · · · · · · · · · · · · · · ·
MANAGER REPO	DRTING TO DIRECTOR (Print): Dennis S	chrock	MANAGER EXT.	3161
	discussed this Concern with Supervision:		No.	
Concern (briefly)	On Wed. Dec 5 - PM shift RPT.	foremen Kevin Ko	inzen knowingly in	stouded RFT's
under his sign	ecusion to disroged a common Alara	technique. The te	change myclege co	strolling re-entry
of a posted a	stammeted area with compressised f.	f. E.	HSIP refs	Anus 3 # 5
, ,	on (Optional)		H31 F 18:5, -	15.02 Mge 4 F4.2
		1	\rightarrow	
	12-18-90		()_	12-18-90
Employee Signat	5	Steward Signature (I	f Applicable)	Date
Supervision Res	sponse (within 5 working days) Ro / 3.1	does Not	address Th	is concern,
All of to	e initial facts sur	rounding T	his concer	n were NOT
presente	d to K-Konzen. * K. 1 RPTs to disreg	Conzen Wo	uld Not 1	KNUWWglg
INSTRUCT	RPTS to disreg	and ACA	RA, The	ROIOT
the HS+1	manual. However,	a tool B	OX MEETIN	vs will be
eld wit	the left's reg	garding t	ais iss	ae.
Supervision Sign	ature Hhenn.		Date	12/18/80
Manager Reporti		for D. HA	arf.in Date	12/20/10
				, ,
NOTE: TIMELIN	ESS IN COMPLETING THIS FORM IS OF TH	IE UTMOST IMPORT	TANCE.	
I am sat	isfied with the results.	satisfied.		
	t satisfied: The tool box meeting will		the issue , however	er we believe
	hould be made written for complete un			
	e response is completely apposite a			
attitude in the	e response is completely appearing t	:; ma,		
Employee Signat	ure		Date	12-23-90
	Safety Concern on: 1-2-9/			
	To be completed by the	JCUSC Co-Chairper	son(s)	
Assigned to:	Union: 7-5, 1000	ER	Date 4	1-2-9/
	Company: C. Delforge	<i>\$</i>	Date -	1-4-91
Distributions	. /			1
Distribution:	Safety Committee (White) (Completed Form) Union Steward (Yellow))	PRIORITY	′: H M L
	Employee (Green) Safety Committee (Blue) (When Concern I	nitiated)		
RF-45500 (Rev. 7/90)	Destroy Previous Issues	initated)	*U.S. GPO: 1996	-776-326/25134

	Safety Concein : 91.004 - 2.19.91
	Safety Concern : 91.004 - 2.19.91 "Disregard of ALARA technique" 904 Pad
	Employee-
	Employee - Supervisor - Keven Konzen - Manager - SCUSC - Gino Di Carlo - Med Megeler -
	SCUSC-Gino DiCarlo-Ked Kegeler-
	Situation involved the re-entry of a posted contaminated area with compromised P.P.E Lack of Saftety first Attitude by supervision - direct reflection towards safety
	area with compromised P.P.E Lack of Saftety first
	Attitude by supervision - direct reflection towards sately
÷ ·	Doe order - not going to follow it - not going to make
# 1	Doe order - not going to follow it - not going to make his men follow it - its not that important outhere"
	freaking barrier in Remaion to put pubber gloves
	freaking barrier in Rernacon to put pubber gloves in trush begins taught in RPT Training.
	Lesson learned for whole classification action - Denis Shrock or Melton
	action - Denis Shrock or Metton
:	Exit requirement from Pernacon
•	

SAFETY CONCERN WORKSHEET (Please Print)

01-2	
(*2) Date Received: 1 / 2 / 91 (*1) Number: 91-004	_)
(3) Priority (H,M,L):	
(*4) Title: Disregard of alara technique	a I
(5) Initiated by: (6) Emp. Number:	
(*7) Initiation/Start Date: 12/18/90 (8) Emp. Phone No:	
MANAGEMENT INFORMATION:	=
(9*) Supervisor/Person Resp: J. Chinosi (*10) Phone: 3	ŽÓ
(11) Date Supervisor Answered: 12/18/90	
(12) Direct Report Manager: D.M. Hardin (13) Phone: 29	य दे।
(14) Bldg: 904 pad (15) Operations Manager: J.D. Roberts	
SAFETY NOTIFICATIONS:	+
(17) Date: 1_/_7/	
16) Discipline: S.A. Buckie _ Bldg: 750)_
18) Area Safety Eng: D. Chojnacki Bldg: 150	ر
19) Union Steward: B1dg:	
(20) Co. Co-Chairman: E. Tietenberg Bldg: T45	100
(21) Union Co-Chair: S. Cordova Bldg: T690	99
(22) Company Member: C.D. Delforge Bldg: Roso	A
(22) Company Member: C.D. Delforge. (23) Union Member: T.J. Tegelete	ij.
INVESTIGATION STATUS:	
(25) Date Contacted Employee: / /	
(*26) Investigation Comments:	
(*27) Invest. Review/Due Date: / / (28) Status (1	-5) _
(29) Actions Indent. (Y or N): (30) Interim Letter Date: /	1_
(*31) Close Date: / / (*32) Closed By:	-
To be filled out when submitting action items	

₹ EGEG ROCKY FLATS





JOINT COMPANY - UNION SAFETY COMMITTEE

February 22, 1991

To:

DDT

Broomfield Warehouse

From: T. J. Tegeler / E. A. DiCarlo

JCUSC

T-690-G / Building 881 Ext. 4260 / Ext. 2238

RE: CLOSE-OUT OF SAFETY CONCERN NUMBER 91-004

The JCUSC has investigated your safety concern involving the exiting requirements at the permacon. After much discussion, the following action items were agreed to and will resolve this concern.

What:

Inform all RPT's through lessons learned format of situation

and corrective actions.

When:

By March 22, 1991

Who:

D. D. Melton, Radiation Operations Manager

2. What:

Incorporate agreed to resolution in posted exit requirements

of all permacons.

When:

March 22, 1991

Who:

D. D. Melton

The above mentioned actions, responsible parties, and dates have been agreed to by all persons and departments in attendance, including the Joint Company/Union Safety Committee. Any changes to any part of this agreement must be agreed to by the Joint Company/Union Safety Committee.

Thank you for your participation in the safety program. If you have any further problems with this concern, it's answer, or the implementation, please feel free to contact the Joint Company/Union Safety Committee.

T. J. Tegeler

Union Safety Representative

E. A. DiCarlo

E. a. Di Jarlo

Company Safety Representative

cc:

S. A. Buckie D. Chojnacki

D. M. Hardin K. K. Konzen J. D. Roberts D. K. Schrock

S. Cordova

D. D. Melton

E. I. Tietenberg

EGEG ROCKY FLATS





JOINT COMPANY - UNION SAFETY COMMITTEE

DATE:

September 18, 1992

T0:

G. G. Balint, Awards Coordinator, New Ideas Program, Bldg. 850, X4821

FROM:

E. I. Tietenberg, Joint Co./Union Safety Comm., Bldg. T452B, X7620 CWSM. F. Wood, Joint Co./Union Safety Comm., Bldg. T690G, X5800

SUBJECT:

VERIFICATION OF IMPLEMENTATION - SAFETY CONCERN NUMBER 91-004

DISREGARD OF ALARA

The JCUSC / Assurance Support have ve<u>rified implementation of the subject</u> and closed out the concern. safety concern / suggestion filed by |

Attached is the verification form. Request you evaluate for a possible award.

Attachment:

As Stated

cc:

J. Chinosi

C. D. Delforge

J. D. Roberts

V. M. Scott

T. J. Tegeler

L. G. Ubias

以EG&G ROCKY FLATS

INTEROFFICE CORRESPONDENCE

DATF:

October 9, 1992

T0:

, Rad Ops. Wst Ops., B/664

FROM:

LDJ. Engels, New Ideas Program, B/850, X3415

SUBJECT: // SAFETY CONCERN ON DISREGARD OF ALARA - NIP-91004A-92

PURPOSE

The purpose of this memo is to provide you with an updated status of your Safety Concern Award file.

BACKGROUND/DISCUSSION

We have been informed that your above listed recommendation has been implemented and verified, as applicable. Your award file will be forwarded to the Safety Award Committee for review of the reported benefits and award eligibility under the New Ideas Program. If the Safety Committee agrees that the idea meets the criteria of the New Ideas Program, your award file will be forwarded to our award evaluator. The evaluator will again verify the implementation and review monetary award eligibility. After these tasks are successfully completed, an award recommendation will be developed with assistance from your supervisor. Finally, all pertinent information will be forwarded to the Suggestion Awards Committee for review and approval.

Please note that if the award recommendation exceeds \$2,000.00, we are mandated to have the Department of Energy (DOE) review the file. DOE reviews have been very time consuming and often take longer than six (6) months. We regret these inconveniences, but hope you understand that they are designed to protect taxpayer's money.

RESPONSE REQUIREMENTS

No response to this letter is required. If you have any questions or if we can be of further assistance, please call us on extension 2237.

rs

cc: JCUSC

EGEG ROCKY FLATS

INTEROFFICE CORRESPONDENCE

DATE

December 2, 1992

TO

, Rad Ops Wst Ops., B/664

FROM

(L. J. Engels, New Ideas Program, B/850, X2237

SUBJECT

🌣 SAFETY CONCERN ON DISREGARD OF ALARA - NIP-91004B-92

PURPOSE

The purpose of this memo is to provide you with an updated status of your Safety Concern Award file.

BACKGROUND/DISCUSSION

The Suggestion Award Committee has reviewed your file. The committee determined that, based on the information in the file, it is not eligible for a monetary award under the rules of the New Ideas Program for the following reason: Rule #4. See attachment.

RESPONSE REQUIREMENTS

No response to this letter is required. If you have any questions, please call us on Extension 2237.

rs

Attachment: As stated

cc: JCUSC /

COMMITMENT TRACKING SYSTEM Final Certificate of Completion

Ohaali Oaai	ICD	CMA	Occurrence	NAby	TOUSE
Check One: Ref. Number: —	91-004	CMM Responsible	Manager: J. D.	ROBERTS 27	A 10: 54
	ISREGHED O	F ALARA			
Department:	W€ 45				
Building and Ext	ension: <u>7 8 936</u>	x 3324			
Date all Correcti	ve Actions were com	pleted:/.	3/91		
	rective actions taken			not attached, list its	location):
Ple	are close	- Safety	Concur	1201	
attac.			Í		
RP	7's were	informed	- of corn	ectión	11+
actio	7's were is through	L Lool B	ax meeter	cho _	Done
	lucted on			r	Plant-Wia
			Dennis	Schro	-k
			7103		
		1	5516	9	
		10	. 3-11		
		SIGNATURE	LOCK	- 1 - 1	1992
Responsib	Ne Manager	- fille	un'	1/7/93 Date / /	NAS
	MAnor	saul		1/9/92 Date	/ A / O. A
Next Level	Management (PROGRAM U	SE ONLY		ى ت
Database (Updated	128/9z	Program Personne	el <u>CH</u>	

JCUSC VERIFICATION FORM

Circle One - Verified Complete / Reopen	
ISP NO 09 16 442 FINDING NO 91-804 ORIGIN OF FINDING	JCUSC
ACTION RESPONSIBILITY ASSIGNED TO: 1.6. Ubiac	
STATEMENT OF FINDING:	
October 1 of 11	
Disregard of Alara	
EXPLANATION OF VERIFICATION:	
 Does the action plan address the intent of the original finding? Has the situation described in the finding been adequately improved or corrected? 	Yes No
VERIFICATION DETAIL - Describe the actions taken to reach a disposition on this finding.	<u> </u>
· Personnel problem resolved	
· D	
resonnel problem resolution	
-ZIBE	
	-
Co. did NOT PARTICIPATE SA	(
EGAG VERIFICATION BY E. 1. Trekenberg to unt DATE	9/18/92
Print Name Signature	/ /
VERIFICATION BY LEGALAGINAS LEGALAGINAS DATE	9-17-90
Print Name Signature	Jules
APPROVED BY World Approved DATE	9/18/72
APPROVED BY E. 1. The tenhera L. M. DATE	9/18/92
Print Name Signature	7 7
Distribution	

.Distribution:

Performance Assurance - Commitments Tracking Group - TI30G Joint Company Union Safety Committee - T4528