

SAFETY CONCERN	SUBJECT	INITIATED BY DATE	SUPERVISOR DATE OF ANSWER	DATE REC'D BY COMM. ASSIGNED BY	COMMENTS	SETTLEMENT DATE	METHOD 1, 2, 3
* 86-117	BLDG. 771 - [REDACTED]	[REDACTED] 4/24/86	D. WESTPHAL	5/7/86	CLOSED OUT	5/7/86	
- * 86-118	BLDG. 771 - [REDACTED]	[REDACTED] 5/7/86	W. STETSON	5/13/86	CLOSED OUT	5/13/86	
- * 86-119	BLDG. 707 - [REDACTED]	[REDACTED] 5/5/86	E. MCCRACKEN	5/6/86	CLOSED OUT	5/6/86	
- * 86-120	BLDG. 883 - [REDACTED]	[REDACTED] 5/8/86	D. POWZEE	5/12/86	CLOSED OUT	5/12/86	
- 86-121	BLDG. 776 - LACK OF INDOCTRINATION ON H ³ ALARM SYSTEM.	[REDACTED] 3/10/86	E. DICARLO	J. SCARBS A. FERNANDEZ 5/5/86	CLOSED OUT	11/10/86	
- 86-122	BLDG. 881 - WELDING CADMIUM UNSAFELY.	[REDACTED] 12/12/84	D. RAPIER	J. CASTRO P. KING 12/12/84 5/28/86	CLOSED OUT	8/20/86	
- 86-123	BLDG. 707 - VIOLATION OF ALARA POLICY	[REDACTED] 5/15/86	R. CHANNEL	G. OVERHOLT R. CHANDA 5/21/86 6/23/86	CLOSED OUT	8/13/86	
- * 86-124	BLDG. 371 - [REDACTED]	[REDACTED] 5/12/86	T. VALDEZ	G. OVERHOLT R. CHANDA 5/15/86 5/28/86	CLOSED OUT.	6/20/86	
- 86-125	BLDG. 374 - icy CONDITIONS BY DOORS 864 + 15 BLDGS. 881 + 883	[REDACTED] 6/2/86	N. WAGNER	J. SCARBS C. JOHNSON 6/2/86 12/11/86	CLOSED OUT	6/2/86	